

Application SN: 10/658,950
Amendment Dated: January 3, 2008
Reply to Office Action of: February 27, 2007

Amendments to the Claims as follows:

1. (CANCELED)

2. (Currently Amended) The combination sink and jet parts washer of Claim [[1]] 13
5 wherein said sink is hinged to said base cabinet.

3. (Currently Amended) The combination sink and jet parts washer of Claim [[1]] 13
wherein said sink is removably seated on said cabinet.

10 4. (Currently Amended) The combination sink and jet parts washer of Claim [[1]] 13
wherein said sink is on guide means and is slidable between said open and closed
positions.

15 5. (Currently Amended) The combination sink and jet parts washer of Claim [[1]] 13
wherein said ~~manual means~~ hand washer includes a brush and a valve to regulate the fluid
flow.

6. (Currently Amended) The combination sink and jet parts washer of Claim [[1]] 13
wherein a dampening closer extends between said sink and cabinet.

Application SN: 10/658,950
Amendment Dated: January 3, 2008
Reply to Office Action of: February 27, 2007

7. (Currently Amended) The combination sink and jet parts washer of Claim ~~[[3]]~~ 6
wherein said closer is a gas spring.

8. (Currently Amended) The combination sink and jet parts washer of Claim ~~[[1]]~~ 13
5 ~~wherein said~~ further including means for rotating said receptacle ~~comprises~~ comprising
vane means attached to said basket positioned to be driven by fluid flow to said pump.

9. (Currently Amended) The combination sink and jet parts washer of Claim ~~[[1]]~~ 13
~~wherein said~~ including means for rotating said receptacle ~~comprises~~ comprising a gear
10 motor and pulley.

10. (Currently Amended) The combination sink and jet parts washer of Claim ~~[[1]]~~
13 wherein said pump is driven by an electric motor in a circuit having a safety interlock
permitting operation of the motor only when the sink is in a closed position.

11. (Currently Amended) The combination sink and jet parts washer of Claim ~~[[7]]~~
15 10 wherein said circuit is connected to an electrical heater located in the reservoir.

Application SN: 10/658,950
Amendment Dated: January 3, 2008
Reply to Office Action of: February 27, 2007

12. (Currently Amended) The combination sink and jet parts washer of Claim [[1]]
13 wherein said sink is generally rectangular having sidewalls which terminate at an
upwardly flared flange.

5 13. (New) A portable multi-function parts washer for removing contaminants from
parts by hand or automatically using a cleaning fluid, said parts washer comprising:

- (a) a base cabinet having sides and an open top defining a compartment
having an upper jet cleaning section and a lower section;
- (b) a cleaning receptacle mounted in said jet cleaning section for receiving
10 parts to be washed by jet cleaning;
- (c) a spray manifold in said jet cleaning section having at least one spray
nozzle oriented to direct a cleaning spray on said receptacle;
- (d) a fluid pump having an outlet connected to said manifold and an inlet;
- (e) a sink mounted on said cabinet open top overlying said jet cleaning section
15 having a closed position closing said cabinet open top and an open
position providing access to said jet cleaning section to load and remove
parts therefrom;
- (f) drain means in said sink;

Application SN: 10/658,950
Amendment Dated: January 3, 2008
Reply to Office Action of: February 27, 2007

(g) a hand washer having a fluid supply hose communicating with a source of fluid pressure for manual cleaning parts; and

(h) fluid reservoir in the lower section of said cabinet receiving fluid discharged from said jet cleaning section and said drain and providing

5 cleaning fluid to both said pump inlet and said hand washer independent of connection to an external fluid supply.